Author Index

Abdulrahman, S., Harrison, M. E., Welham, K. J., Baldwin, M. A., Phillipson, J. D. and Roberts, M. F.
High-performance liquid chromatographic–mass spectrometric assay of high-value compounds for pharmaceutical use from plant cell tissue culture: *Cinchona* alkaloids 562(1991)713

Abián, J. and Gelpí, E.
Characteristic fragmentation of thromboxane B_2 in thermospray high-performance liquid chromatography–mass spectrometry 562(1991)153

Allmaier, G., see Gasser, H. 562(1991)257

Arpino, P., see Bruchet, A. 562(1991)469

Auriola, S., Martinsen, A., Oksman-Caldentey, K.-M. and Naaranlahti, T.
Analysis of tropane alkaloids with thermospray high-performance liquid chromatography–mass spectrometry 562(1991)737

Ayotte, C., see Massé, R. 562(1991)323

Baczynskyj, L.
Particle beam liquid chromatography–mass spectrometry on a double-focusing sector instrument 562(1991)13

Baldwin, M. A., see Abdulrahman, S. 562(1991)713

Balogh, M. P. and Stacey, C. C.
Chromatographic developments in low flow delivery for liquid chromatography–mass spectrometry 562(1991)73

Barceló, D., see Durand, G. 562(1991)507

Battaglia, F. C., see Loy, G. L. 562(1991)169

Bauer, T., see Sturm, G. 562(1991)351

Bayne, S., Hoogerbrugge, C. M., Thomsen, J., Skriver, L., Van Buul-Offers, S. C. and Van den Brande, J. L.
Primary sequences of insulin-like growth factors 1 and 2 isolated from porcine plasma 562(1991)391

Becchi, M., see Ventura, R. 562(1991)723

Beetens, J., see Weber, C. 562(1991)599

Berman, J., see Millington, D. S. 562(1991)47

Bi, H., see Massé, R. 562(1991)323

Billion-Rey, F., see Guilluy, R. 562(1991)341

Bojesen, G., see Justesen, U. 562(1991)59

Branch, S. K., see Warner, C. D. 562(1991)625

Brazier, J. L., see Guilluy, R. 562(1991)341

Brownsill, R., Wallace, D., Taylor, A. and Campbell, B.
Study of human urinary metabolism of fenfluramine using gas chromatography–mass spectrometry 562(1991)267

Bruchet, A., Legrand, M. F., Arpino, P. and Dilettato, D.
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469

Burke, J. F., see Warner, C. D. 562(1991)625

Bütikofer, P., see Kuypers, F. A. 562(1991)191

Caixach, J., see Guardiola, A. 562(1991)481

Campbell, B., see Brownsill, R. 562(1991)267

Carenzi, A., see Longo, A. 562(1991)639

Caruso, U., Fowler, B., Erceg, M. and Romano, C.
Determination of very-long-chain fatty acids in plasma by a simplified gas chromatographic–mass spectrometric procedure 562(1991)147

Celma, C. and Giralt, E.
Determination of the enantiomeric purity of synthetic peptides by gas chromatography–mass spectrometry 562(1991)447

Chambers, L. M., see Warner, C. D. 562(1991)625

Chang, S. Y., Moore, T. A., Devaud, L. L., Taylor, L. C. E. and Hollingsworth, E. B.
Analysis of rat brain microdialysate by gas chromatography–high-resolution selected-ion monitoring mass spectrometry 562(1991)111

Claeys, M., see Qimin, L. 562(1991)435

Clare, R. A., Huang, S., Doig, M. V. and Gibson, G. G.
Gas chromatographic–mass spectrometric characterisation of some novel hydroxyeicosatetraenoic acids formed on incubation of arachidonic acid with microsomes from induced rat livers 562(1991)237

Clow, A., see Halket, J. M. 562(1991)279

Cole, S. M., Macrae, P. V., Merson, J. R., Pullen, F. S. and Rance, D. J.
Microbore liquid chromatography coupled to a flow fast atom bombardment probe for the on-line detection of the Tyr-Pro cleavage of a nonapeptide by recombinant HIV-1 protease 562(1991)67

Cooks, R. G., see Kaiser, Jr., R. E. 562(1991)3
Corthout, J., see Qimin, L. 562(1991)435
Couderc, F., see Le Quéré, J. L. 562(1991)659
Daeseleire, E., De Guesquière, A. and Van Peteghem, C.
Derivatization and gas chromatographic–mass spectrometric detection of anabolic steroid residues isolated from edible muscle tissues 562(1991)673
Day, B. W., Naylor, S., Gan, L.-S., Sahali, Y., Nguyen, T. T., Skipper, P. L., Wishnok, J. S. and Tannenbaum, S. R.
Gas chromatographic–mass spectrometric analysis of diols and tetrols from reactions of polycyclic aromatic hydrocarbon epoxides with hemoglobin 562(1991)563
De Bertrand, N., see Durand, G. 562(1991)507
De Clerck, F., see Weber, C. 562(1991)599
De Guesquière, A., see Daeseleire, E. 562(1991)673
Deinzer, M., see Svoboda, M. 562(1991)403
Delorenzo, O., see Qimin, L. 562(1991)435
Demont, N., see Le Quéré, J. L. 562(1991)659
Desiderio, D. M., see Lovelace, J. L. 562(1991)573
Devaud, L. L., see Chang, S. Y. 562(1991)111
De Vries, J. X. and Kymber, K. A.
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31
Dilettato, D., see Bruchet, A. 562(1991)469
Di Toro, M., see Longo, A. 562(1991)639
Doig, M. V., see Clare, R. A. 562(1991)237
Du, P., see Massé, R. 562(1991)323
Dufour, A., see Julien-Larose, C. 562(1991)39
Dugal, R., see Massé, R. 562(1991)323
Durand, G., De Bertrand, N. and Barceló, D.
Mobile phase variations in thermospray liquid chromatography–mass spectrometry of pesticides 562(1991)507
Elliott, W. H., see Ferreira, H. E. C. S. 562(1991)697
Elliott, W. H., see Shoemaker, J. D. 562(1991)125
Erceg, M., see Caruso, U. 562(1991)147
Evans, P. D., see Macfarlane, R. G. 562(1991)585
Falick, A. M., see Shackleton, C. H. L. 562(1991)175
Fennessey, P. V., see Loy, G. L. 562(1991)169
Ferreira, H. E. C. S. and Elliott, W. H.
Pre-column derivatization of free bile acids for high-performance liquid chromatographic and gas chromatographic–mass spectrometric analysis 562(1991)697
Fowler, B., see Caruso, U. 562(1991)147
Fraisse, D., see Ventura, R. 562(1991)723
Fredrickson, H. L., see Klöppel, K.-D. 562(1991)369
Furuta, T., Takahashi, H. and Kasuya, Y.
Reversible reaction via a carbanion intermediate in the elimination of ammonia from L-histidine catalysed by histidine ammonia-lyase 562(1991)363
Galimberti, C., see Longo, A. 562(1991)639
Gan, L.-S., see Day, B. W. 562(1991)563
Garcia-Baudin, J. M., see Sanchez-Brunete, C. 562(1991)525
Gasser, H., Strohmaier, W., Schlag, G., Schmid, E. R. and Allmaier, G.
Characterization of phosphatidylcholines in rabbit lung lavage fluid by positive and negative ion fast-atom bombardment mass spectrometry 562(1991)257
Gélinas, H., see Massé, R. 562(1991)323
Gelpí, E.
Foreword 562(1991)1
Gelpí, E., see Abián, J. 562(1991)153
Gibson, G. G., see Clare, R. A. 562(1991)237
Giralt, E., see Celma, C. 562(1991)447
Glover, V., see Halket, J. M. 562(1991)279
Gomez-Belinchon, J. I., see Rosell, A. 562(1991)493
González, C., see Rodríguez, P. 562(1991)547
Goodwin, B. L., see Halket, J. M. 562(1991)279
Gower, D. B., see Mallet, A. I. 562(1991)647
Grases, J. M., see Rodríguez, P. 562(1991)547
Green, B. N., see Shackleton, C. H. L. 562(1991)175
Green, M. D., see Millington, D. S. 562(1991)47
Grimalt, J. O., see Rosell, A. 562(1991)493
Guardiola, A., Ventura, F., Matia, L., Caixach, J. and Rivera, J.
Gas chromatographic–mass spectrometric characterization of volatile organic compounds in Barcelona tap water 562(1991)481
Guilluy, R., Billion-Rey, F. and Brazier, J. L.
On-line measurements of ^{13}C enrichments in rat breath. Non-invasive method for *in vivo* study of drug enzymatic induction 562(1991)341
Haanappel, V. A. C., Stevens, T. W., Hovestad, A., Skolnik, V. and Visser, R.
Gas chromatographic–mass spectrometric analysis of tar compounds formed during pyrolysis of rice husks 562(1991)531
Häberlein, H., see Sturm, G. 562(1991)351

Halket, J. M., Watkins, P. J., Przyborowska, A., Goodwin, B. L., Clow, A., Glover, V. and Sandler, M.
Isatin (indole-2,3-dione) in urine and tissues. Detection and determination by gas chromatography–mass spectrometry 562(1991)279
Harrison, M. E., see Abdulrahman, S. 562(1991)713
Harvey, D. J., Samara, E. and Mechoulam, R.
Urinary metabolites of cannabidiol in dog, rat and man and their identification by gas chromatography–mass spectrometry 562(1991)299
Hayashi, A., see Matsubara, T. 562(1991)119
Hayashi, Y., see Ishibashi, M. 562(1991)613
Henry, R., see Le Quéré, J. L. 562(1991)659
Hesso, A., see Shapi, M. M. 562(1991)681
Hjelm, M., see Lynes, G. W. 562(1991)213
Hogeland, K., see Svoboda, M. 562(1991)403
Holland, K. T., see Mallet, A. I. 562(1991)647
Höller, M., see Weber, C. 562(1991)599
Hollingsworth, E. B., see Chang, S. Y. 562(1991)111
Hoogerbrugge, C. M., see Bayne, S. 562(1991)391
Hovestad, A., see Haanappel, V. A. C. 562(1991)531
Huang, S., see Clare, R. A. 562(1991)237
Inoue, Y., see Matsumoto, M. 562(1991)139
Ishibashi, M., Watanabe, K., Ohyama, Y., Mizugaki, M., Hayashi, Y. and Takasaki, W.
Novel derivatization and immunoextraction to improve microanalysis of 11-dehydrothromboxane B_2 in human urine 562(1991)613
Iwatani, K., see Nakagawa, Y. 562(1991)99
Julien-Larose, C., Voirin, P., Mas-Chamberlin, C. and Dufour, A.
Use of particle beam liquid chromatography–electron impact mass spectrometry for structure elucidation of oxodipine and three of its metabolites 562(1991)39
Justesen, U. and Bojesen, G.
Analysis of some eicosanoids by continuous-flow fast atom bombardment mass spectrometry 562(1991)59
Kaiser, Jr., R. E., Williams, J. D., Lammert, S. A., Cooks, R. G. and Zakett, D.
Thermospray liquid chromatography–mass spectrometry with a quadrupole ion trap mass spectrometer 562(1991)3
Kasuya, Y., see Furuta, T. 562(1991)363
Kato, Y. and Numajiri, Y.
Chloride attachment negative-ion mass spectra of sugars by combined liquid chromatography and atmospheric pressure chemical ionization mass spectrometry 562(1991)81
Klöppel, K.-D. and Fredrickson, H. L.
Fast atom bombardment mass spectrometry as a rapid means of screening mixtures of ether-linked polar lipids from extremely halophilic archaebacteria for the presence of novel chemical structures 562(1991)369
Kodo, N., see Millington, D. S. 562(1991)47
Köppel, C. and Tenczer, J.
Mass spectral characterization of urinary metabolites of D,L-kawain 562(1991)207
Koruna, I., see Ryska, M. 562(1991)289
Kostiainen, R.
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555
Kuhara, T., see Matsumoto, M. 562(1991)139
Kusmierz, J. J., see Lovelace, J. L. 562(1991)573
Kuypers, F. A., Bütikofer, P. and Shackleton, C. H. L.
Application of liquid chromatography–thermospray mass spectrometry in the analysis of glycerophospholipid molecular species 562(1991)191
Kymber, K. A., see De Vries, J. X. 562(1991)31
Labdon, J. E., see Pramanik, B. N. 562(1991)377
Lammert, S. A., see Kaiser, Jr., R. E. 562(1991)3
Legrand, M. F., see Bruchet, A. 562(1991)469
Le Quéré, J. L., Sébédio, J. L., Henry, R., Couderc, F., Demont, N. and Promé, J. C.
Gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry of cyclic fatty acid monomers isolated from heated fats 562(1991)659
Longo, A., Di Toro, M., Galimberti, C. and Carenzi, A.
Determination of N-acetylcysteine in human plasma by gas chromatography–mass spectrometry 562(1991)639
Lovelace, J. L., Kusmierz, J. J. and Desiderio, D. M.
Analysis of methionine enkephalin in human pituitary by multi-dimensional reversed-phase high-performance liquid chromatography, radioreceptor assay, radioimmunoassay, fast atom bombardment mass spectrometry, and mass spectrometry–mass spectrometry 562(1991)573

Loy, G. L., Quick, Jr., A. N., Battaglia, F. C., Meschia, G. and Fennessey, P. V.
Measurement of leucine and α-ketoisocaproic acid fluxes in the fetal/placental unit 562(1991)169
Lynes, G. W. and Hjelm, M.
Phenylalanine in whole blood and plasma — a candidate reference method 562(1991)213
Macfarlane, R. G., Midgley, J. M., Watson, D. G. and Evans, P. D.
Biogenic amines: their occurrence, biosynthesis and metabolism in the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 562(1991)585
Macrae, P. V., see Cole, S. M. 562(1991)67
Maftouh, M., Ponthus, C., Tuong, A. and Picard, C.
Liquid secondary ion mass spectrometry applied to structural confirmation of enzymically prepared C-terminal-truncated derivatives of recombinant hirudin 562(1991)421
Mallet, A., see Gelpí, E. 562(1991)1
Mallet, A. I., Holland, K. T., Rennie, P. J., Watkins, W. J. and Gower, D. B.
Applications of gas chromatography–mass spectrometry in the study of androgen and odorous 16-androstene metabolism by human axillary bacteria 562(1991)647
Martinsen, A., see Auriola, S. 562(1991)737
Mas-Chamberlin, C., see Julien-Larose, C. 562(1991)39
Massé, R., Bi, H., Ayotte, C., Du, P., Gélinas, H. and Dugal, R.
Studies on anabolic steroids. V. Sequential reduction of methandienone and structurally related steroid A-ring substituents in humans: gas chromatographic–mass spectrometric study of the corresponding urinary metabolites 562(1991)323
Matia, L., see Guardiola, A. 562(1991)481
Matsubara, T. and Hayashi, A.
Fragmentation pathways of O-trimethylsilyl ethers of dihydroxy long-chain bases analysed by linked-scan mass spectrometry 562(1991)119
Matsumoto, I., see Matsumoto, M. 562(1991)139
Matsumoto, M., Kuhara, T., Inoue, Y., Shinka, T. and Matsumoto, I.
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139
McCloskey, J. A., see Takeda, N. 562(1991)225
Mechoulam, R., see Harvey, D. J. 562(1991)299
Merson, J. R., see Cole, S. M. 562(1991)67
Meschia, G., see Loy, G. L. 562(1991)169
Midgley, J. M., see Macfarlane, R. G. 562(1991)585
Millington, D. S., Norwood, D. L., Kodo, N., Moore, R., Green, M. D. and Berman, J.
Biomedical applications of high-performance liquid chromatography–mass spectrometry with continuous-flow fast atom bombardment 562(1991)47
Miyajima, A., see Svoboda, M. 562(1991)403
Mizugaki, M., see Ishibashi, M. 562(1991)613
Moore, R., see Millington, D. S. 562(1991)47
Moore, T. A., see Chang, S. Y. 562(1991)111
Naaranlahti, T., see Auriola, S. 562(1991)737
Nagabhushan, T. L., see Pramanik, B. N. 562(1991)377
Nakagawa, Y. and Iwatani, K.
Scanning thin-layer chromatography–liquid secondary ion mass spectrometry and its application for investigation of drug metabolites 562(1991)99
Naylor, S., see Day, B. W. 562(1991)563
Nguyen, T. T., see Day, B. W. 562(1991)563
Norwood, D. L., see Millington, D. S. 562(1991)47
Numajiri, Y., see Kato, Y. 562(1991)81
Nyberg, F., see Silberring, J. 562(1991)459
Ohyama, Y., see Ishibashi, M. 562(1991)613
Oksman-Caldentey, K.-M., see Auriola, S. 562(1991)737
Padfield, A. D., see Woollard, P. M. 562(1991)249
Paisse, O., see Ventura, R. 562(1991)723
Permanyer, J., see Rodríguez, P. 562(1991)547
Phillipson, J. D., see Abdulrahman, S. 562(1991)713
Picard, C., see Maftouh, M. 562(1991)421
Pieters, L. A. C., see Qimin, L. 562(1991)435
Plaum, T., see Sturm, G. 562(1991)351
Poláková, L., see Ryska, M. 562(1991)289
Pomerantz, S. C., see Takeda, N. 562(1991)225
Ponthus, C., see Maftouh, M. 562(1991)421
Pramanik, B. N., Tsarbopoulos, A., Labdon, J. E., Trotta, P. P. and Nagabhushan, T. L.
Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377
Promé, J. C., see Le Quéré, J. L. 562(1991)659
Przyborowska, A., see Halket, J. M. 562(1991)279
Przybylski, M., see Svoboda, M. 562(1991)403
Pullen, F. S., see Cole, S. M. 562(1991)67

Qimin, L., Van den Heuvel, H., Delorenzo, O., Corthout, J., Pieters, L. A. C., Vlietinck, A. J. and Claeys, M.
Mass spectral characterization of C-glycosidic flavonoids isolated from a medicinal plant (*Passiflora incarnata*) 562(1991)435
Quick, Jr., A. N., see Loy, G. L. 562(1991)169
Rance, D. J., see Cole, S. M. 562(1991)67
Rennie, P. J., see Mallet, A. I. 562(1991)647
Richter, W. J., see Gelpi, E. 562(1991)1
Rivera, J., see Guardiola, A. 562(1991)481
Roberts, M. F., see Abdulrahman, S. 562(1991)713
Rodríguez, P., Permanyer, J., Grases, J. M. and González, C.
Confirmation method for the identification and determination of some organophosphorus and organochlorine pesticides in cocoa beans by gas chromatography–mass spectrometry 562(1991)547
Romano, C., see Caruso, U. 562(1991)147
Rosell, A., Gomez-Belinchon, J. I. and Grimalt, J. O.
Gas chromatographic–mass spectrometric analysis of urban-related aquatic and airborne volatile organic compounds. Study of the extracts obtained by water closed-loop stripping and air adsorption with charcoal and polyurethane foam 562(1991)493
Ryska, M., Koruna, I., Poláková, L. and Svátek, E.
Mass spectrometric structure determination of metabolites of 3-[2-(N,N-dimethylaminomethyl)phenylthio]phenol 562(1991)289
Sahali, Y., see Day, B. W. 562(1991)563
Salmon, J. A., see Woollard, P. M. 562(1991)249
Salto, T., see Sanchez-Brunete, C. 562(1991)525
Samara, E., see Harvey, D. J. 562(1991)299
Sanchez-Brunete, C., Salto, T., Garcia-Baudin, J. M. and Tadeo, J. L.
Analysis of triallate residues in cereals and soil by gas chromatography with ion-trap detection 562(1991)525
Sandler, M., see Halket, J. M. 562(1991)279
Schlag, G., see Gasser, H. 562(1991)257
Schmid, E. R., see Gasser, H. 562(1991)257
Schreurs, J., see Svoboda, M. 562(1991)403
Sébédio, J. L., see Le Quéré, J. L. 562(1991)659
Segura, J., see Ventura, R. 562(1991)723
Shackleton, C. H. L., see Kuypers, F. A. 562(1991)191
Shackleton, C. H. L., Falick, A. M., Green, B. N. and Witkowska, H. E.
Electrospray mass spectrometry in the clinical diagnosis of variant hemoglobins 562(1991)175
Shapi, M. M. and Hesso, A.
Gas chromatographic–mass spectrometric analysis of some potential toxicants amongst volatile compounds emitted during large-scale thermal degradation of poly (acrylonitrile–butadiene–styrene) plastic 562(1991)681
Shinka, T., see Matsumoto, M. 562(1991)139
Shoemaker, J. D. and Elliott, W. H.
Automated screening of urine samples for carbohydrates, organic and amino acids after treatment with urease 562(1991)125
Silberring, J. and Nyberg, F.
Analysis of tyrosine- and methionine-containing neuropeptides by fast atom bombardment mass spectrometry 562(1991)459
Skipper, P. L., see Day, B. W. 562(1991)563
Skolnik, V., see Haanappel, V. A. C. 562(1991)531
Skriver, L., see Bayne, S. 562(1991)391
Stacey, C. C., see Balogh, M. P. 562(1991)73
Stalker, D. J., see Sturm, G. 562(1991)351
Stevens, T. W., see Haanappel, V. A. C. 562(1991)531
Strohmaier, W., see Gasser, H. 562(1991)257
Sturm, G., Häberlein, H., Bauer, T., Plaum, T. and Stalker, D. J.
Mass spectrometric and high-performance liquid chromatographic studies of medroxyprogesterone acetate metabolites in human plasma 562(1991)351
Svátek, E., see Ryska, M. 562(1991)289
Svoboda, M., Przybylski, M., Schreurs, J., Miyajima, A., Hogeland, K. and Deinzer, M.
Mass spectrometric determination of glycosylation sites and oligosaccharide composition of insect-expressed mouse interleukin-3 562(1991)403
Tadeo, J. L., see Sanchez-Brunete, C. 562(1991)525
Takahashi, H., see Furuta, T. 562(1991)363
Takasaki, W., see Ishibashi, M. 562(1991)613
Takeda, N., Pomerantz, S. C. and McCloskey, J. A.
Detection of ribose-methylated nucleotides in enzymatic hydrolysates of RNA by thermospray liquid chromatography–mass spectrometry 562(1991)225
Tannenbaum, S. R., see Day, B. W. 562(1991)563

Taylor, A., see Brownsill, R. 562(1991)267
Taylor, L. C. E., see Chang, S. Y. 562(1991)111
Tegtmeier, F., see Weber, C. 562(1991)599
Tenczer, J., see Köppel, C. 562(1991)207
Thomsen, J., see Bayne, S. 562(1991)391
Trotta, P. P., see Pramanik, B. N. 562(1991)377
Tsarbopoulos, A., see Pramanik, B. N. 562(1991)377
Tuong, A., see Maftouh, M. 562(1991)421
Van Buul-Offers, S. C., see Bayne, S. 562(1991)391
Van den Brande, J. L., see Bayne, S. 562(1991)391
Van den Heuvel, H., see Qimin, L. 562(1991)435
Van Peteghem, C., see Daeseleire, E. 562(1991)673
Ventura, F., see Guardiola, A. 562(1991)481
Ventura, R., Fraisse, D., Becchi, M., Paisse, O. and Segura, J.
Approach to the analysis of diuretics and masking agents by high-performance liquid chromatography–mass spectrometry in doping control 562(1991)723
Visser, R., see Haanappel, V. A. C. 562(1991)531
Vlietinck, A. J., see Qimin, L. 562(1991)435
Voirin, P., see Julien-Larose, C. 562(1991)39
Wallace, D., see Brownsill, R. 562(1991)267
Warner, C. D., Branch, S. K., Burke, J. F., Chambers, L. M. and Young, V. R.
Microderivatization of 4-[^{18}O]hydroxyproline and quantitation with a benchtop mass spectrometer 562(1991)625
Watanabe, K., see Ishibashi, M. 562(1991)613
Watkins, P. J., see Halket, J. M. 562(1991)279
Watkins, W. J., see Mallet, A. I. 562(1991)647
Watson, D. G., see Macfarlane, R. G. 562(1991)585
Weber, C., Höller, M., Beetens, J., De Clerck, F. and Tegtmeier, F.
Determination of 6-keto-$PGF_{1\beta}$, 2,3-dinor-6-keto-$PGF_{1\alpha}$, thromboxane B_2, 2,3-dinor-thromboxane B_2, PGE_2, PGD_2 and $PGF_{2\alpha}$ in human urine by gas chromatography–negative ion chemical ionization mass spectrometry 562(1991)599
Welham, K. J., see Abdulrahman, S. 562(1991)713
Williams, J. D., see Kaiser, Jr., R. E. 562(1991)3
Wishnok, J. S., see Day, B. W. 562(1991)563
Witkowska, H. E., see Shackleton, C. H. L. 562(1991)175
Woollard, P. M., Salmon, J. A. and Padfield, A. D.
Use of high-performance liquid chromatography–thermospray mass spectrometry and gas chromatography–electron-impact mass spectrometry in the identification of the metabolites of α-methylacetohydroxamic acids, potential anti-asthmatic agents 562(1991)249
Young, V. R., see Warner, C. D. 562(1991)625
Zakett, D., see Kaiser, Jr., R. E. 562(1991)3

Compound Index

Acenocoumarol
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31

Acetoxyscirpenols
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555

N-Acetylcysteine
Determination of N-acetylcysteine in human plasma by gas chromatography–mass spectrometry 562(1991)639

Acylcarnitines
Biomedical applications of high-performance liquid chromatography–mass spectrometry with continuous-flow fast atom bombardment 562(1991)47

Acyl-coenzyme A thioesters
Biomedical applications of high-performance liquid chromatography–mass spectrometry with continuous-flow fast atom bombardment 562(1991)47

Alkaloids
High-performance liquid chromatographic–mass spectrometric assay of high-value compounds for pharmaceutical use from plant cell tissue culture: *Cinchona* alkaloids 562(1991)713

Analysis of tropane alkaloids with thermospray high-performance liquid chromatography–mass spectrometry 562(1991)737

Alkylbenzenes
Gas chromatographic–mass spectrometric characterization of volatile organic compounds in Barcelona tap water 562(1991)481

Amines, biogenic
Biogenic amines: their occurrence, biosynthesis and metabolism in the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 562(1991)585

Amino acids
Automated screening of urine samples for carbohydrates, organic and amino acids after treatment with urease 562(1991)125

Measurement of leucine and α-ketoisocaproic acid fluxes in the fetal/placental unit 562(1991)169

Anabolic agents
Studies on anabolic steroids. V. Sequential reduction of methandienone and structurally related steroid A-ring substituents in humans: gas chromatographic–mass spectrometric study of the corresponding urinary metabolites 562(1991)323

Anabolic steroids
Derivatization and gas chromatographic–mass spectrometric detection of anabolic steroid residues isolated from edible muscle tissues 562(1991)673

16-Androstenedione
Applications of gas chromatography–mass spectrometry in the study of androgen and odorous 16-androstene metabolism by human axillary bacteria 562(1991)647

Arachidonic acid
Gas chromatographic–mass spectrometric characterisation of some novel hydroxyeicosatetraenoic acids formed on incubation of arachidonic acid with microsomes from induced rat livers 562(1991)237

Bile acids
Pre-column derivatization of free bile acids for high-performance liquid chromatographic and gas chromatographic–mass spectrometric analysis 562(1991)697

Cannabidiol
Urinary metabolites of cannabidiol in dog, rat and man and their identification by gas chromatography–mass spectrometry 562(1991)299

Carbohydrates
Automated screening of urine samples for carbohydrates, organic and amino acids after treatment with urease 562(1991)125

Catecholamines
Analysis of rat brain microdialysate by gas chromatography–high-resolution selected-ion monitoring mass spectrometry 562(1991)111

***Cinchona* alkaloids**
High-performance liquid chromatographic–mass spectrometric assay of high-value compounds for pharmaceutical use from plant cell tissue culture: *Cinchona* alkaloids 562(1991)713

Cinchonine
High-performance liquid chromatographic–mass spectrometric assay of high-value compounds for pharmaceutical use from plant cell tissue culture: *Cinchona* alkaloids 562(1991)713

Coumarins
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31

11-Dehydrothromboxane B_2
Novel derivatization and immunoextraction to improve microanalysis of 11-dehydrothromboxane B_2 in human urine 562(1991)613

Deoxynivalenol
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555

Dicoumarol
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31

Dihydroxy long-chain bases
Fragmentation pathways of O-trimethylsilyl ethers of dihydroxy long-chain bases analysed by linked-scan mass spectrometry 562(1991)119

3-[2-(N,N-Dimethylaminomethyl)phenylthio]phenol
Mass spectrometric structure determination of metabolites of 3-[2-(N,N-dimethylaminomethyl)-phenylthio]phenol 562(1991)289

Diols
Gas chromatographic–mass spectrometric analysis of diols and tetrols from reactions of polycyclic aromatic hydrocarbon epoxides with hemoglobin 562(1991)563

Diuretics
Approach to the analysis of diuretics and masking agents by high-performance liquid chromatography–mass spectrometry in doping control 562(1991)723

Drinking water
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469

Drug metabolites
Scanning thin-layer chromatography–liquid secondary ion mass spectrometry and its application for investigation of drug metabolites 562(1991)99

Drugs
On-line measurements of ^{13}C enrichments in rat breath. Non-invasive method for *in vivo* study of drug enzymatic induction 562(1991)341

Eicosanoids
Analysis of some eicosanoids by continuous-flow fast atom bombardment mass spectrometry 562(1991)59

Enzymes
Reversible reaction via a carbanion intermediate in the elimination of ammonia from L-histidine catalysed by histidine ammonia-lyase 562(1991)363

Fatty acid monomers
Gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry of cyclic fatty acid monomers isolated from heated fats 562(1991)659

Fatty acids
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139

Determination of very-long-chain fatty acids in plasma by a simplified gas chromatographic–mass spectrometric procedure 562(1991)147

Fenfluramine
Study of human urinary metabolism of fenfluramine using gas chromatography–mass spectrometry 562(1991)267

Flavonoids
Mass spectral characterization of C-glycosidic flavonoids isolated from a medicinal plant (*Passiflora incarnata*) 562(1991)435

Glycerobenzoates
Application of liquid chromatography–thermospray mass spectrometry in the analysis of glycerophospholipid molecular species 562(1991)191

Glycerophospholipids
Application of liquid chromatography–thermospray mass spectrometry in the analysis of glycerophospholipid molecular species 562(1991)191

C-Glycosidic flavonoids
Mass spectral characterization of C-glycosidic flavonoids isolated from a medicinal plant (*Passiflora incarnata*) 562(1991)435

Haemoglobin
Gas chromatographic–mass spectrometric analysis of diols and tetrols from reactions of polycyclic aromatic hydrocarbon epoxides with hemoglobin 562(1991)563

Haemoglobins
Electrospray mass spectrometry in the clinical diagnosis of variant hemoglobins 562(1991)175

Hirudin
Liquid secondary ion mass spectrometry applied to structural confirmation of enzymically prepared C-terminal-truncated derivatives of recombinant hirudin 562(1991)421

L-Histidine
Reversible reaction via a carbanion intermediate in the elimination of ammonia from L-histidine catalysed by histidine ammonia-lyase 562(1991)363

Histidine ammonia-lyase
Reversible reaction via a carbanion intermediate in the elimination of ammonia from L-histidine catalysed by histidine ammonia-lyase 562(1991)363

Homovanillic acid
Analysis of rat brain microdialysate by gas chromatography–high-resolution selected-ion monitoring mass spectrometry 562(1991)111

Hopantenate
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139

HT-2 toxin
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555

Hydrocarbons
Gas chromatographic–mass spectrometric characterization of volatile organic compounds in Barcelona tap water 562(1991)481

2-Hydroxydicarboxylic acids
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139

4-Hydroxydodecanedioic acids
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139

Hydroxyeicosatetraenoic acids
Gas chromatographic–mass spectrometric characterisation of some novel hydroxyeicosatetraenoic acids formed on incubation of arachidonic acid with microsomes from induced rat livers 562(1991)237

5-Hydroxyindoleacetic acid
Analysis of rat brain microdialysate by gas chromatography–high-resolution selected-ion monitoring mass spectrometry 562(1991)111

Hydroxyproline
Microderivatization of 4-[^{18}O]hydroxyproline and quantitation with a benchtop mass spectrometer 562(1991)625

4-Hydroxytetradecanedioic acids
Abnormal fatty acid metabolism in patients in hopantenate therapy during clinical episodes 562(1991)139

Hyoscyamine
Analysis of tropane alkaloids with thermospray high-performance liquid chromatography–mass spectrometry 562(1991)737

Indole-2,3-dione
Isatin (indole-2,3-dione) in urine and tissues. Detection and determination by gas chromatography–mass spectrometry 562(1991)279

Insulin-like growth factors
Primary sequences of insulin-like growth factors 1 and 2 isolated from porcine plasma 562(1991)391

Interferon
Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377

Interleukin-3
Mass spectrometric determination of glycosylation sites and oligosaccharide composition of insect-expressed mouse interleukin-3 562(1991)403

Isatin
Isatin (indole-2,3-dione) in urine and tissues. Detection and determination by gas chromatography–mass spectrometry 562(1991)279

D,L-Kawain
Mass spectral characterization of urinary metabolites of D,L-kawain 562(1991)207

α-Ketoisocaproic acid
Measurement of leucine and α-ketoisocaproic acid fluxes in the fetal/placental unit 562(1991)169

Leucine
Measurement of leucine and α-ketoisocaproic acid fluxes in the fetal/placental unit 562(1991)169

Lipids, ether-linked polar
Fast atom bombardment mass spectrometry as a rapid means of screening mixtures of ether-linked polar lipids from extremely halophilic archaebacteria for the presence of novel chemical structures 562(1991)369

Long-chain bases
Fragmentation pathways of O-trimethylsilyl ethers of dihydroxy long-chain bases analysed by linked-scan mass spectrometry 562(1991)119

Masking agents
Approach to the analysis of diuretics and masking agents by high-performance liquid chromatography–mass spectrometry in doping control 562(1991)723

Medroxyprogesterone acetate
Mass spectrometric and high-performance liquid chromatographic studies of medroxyprogesterone acetate metabolites in human plasma 562(1991)351

Methandienone
Studies on anabolic steroids. V. Sequential reduction of methandienone and structurally related steroid A-ring substituents in humans: gas chromatographic–mass spectrometric study of the corresponding urinary metabolites 562(1991)323

Methionine
Analysis of tyrosine- and methionine-containing neuropeptides by fast atom bombardment mass spectrometry 562(1991)459

Methionine enkephalin
Analysis of methionine enkephalin in human pituitary by multi-dimensional reversed-phase high-performance liquid chromatography, radioreceptor assay, radioimmunoassay, fast atom bombardment mass spectrometry, and mass spectrometry–mass spectrometry 562(1991)573

3-Methoxy-4-hydroxyphenylglycol
Analysis of rat brain microdialysate by gas chromatography–high-resolution selected-ion monitoring mass spectrometry 562(1991)111

α-Methylacetohydroxamic acids
Use of high-performance liquid chromatography–thermospray mass spectrometry and gas chromatography–electron-impact mass spectrometry in the identification of the metabolites of α-methylacetohydroxamic acids, potential anti-asthmatic agents 562(1991)249

Neuropeptides
Analysis of tyrosine- and methionine-containing neuropeptides by fast atom bombardment mass spectrometry 562(1991)459

Nonapeptide
Microbore liquid chromatography coupled to a flow fast atom bombardment probe for the on-line detection of the Tyr-Pro cleavage of a nonapeptide by recombinant HIV-1 protease 562(1991)67

Non-volatiles
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469

Nucleotides
Detection of ribose-methylated nucleotides in enzymatic hydrolysates of RNA by thermospray liquid chromatography–mass spectrometry 562(1991)225

Organic acids
Automated screening of urine samples for carbohydrates, organic and amino acids after treatment with urease 562(1991)125

Organic compounds
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469

Organochlorine pesticides
Confirmation method for the identification and determination of some organophosphorus and organochlorine pesticides in cocoa beans by gas chromatography–mass spectrometry 562(1991)547

Organophosphorus pesticides
Confirmation method for the identification and determination of some organophosphorus and organochlorine pesticides in cocoa beans by gas chromatography–mass spectrometry 562(1991)547

Oxodipine
Use of particle beam liquid chromatography–electron impact mass spectrometry for structure elucidation of oxodipine and three of its metabolites 562(1991)39

Peptides
Biomedical applications of high-performance liquid chromatography–mass spectrometry with continuous-flow fast atom bombardment 562(1991)47

Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377

Analysis of tyrosine- and methionine-containing neuropeptides by fast atom bombardment mass spectrometry 562(1991)459

Peptides, synthetic
Determination of the enantiomeric purity of synthetic peptides by gas chromatography–mass spectrometry 562(1991)447

Pesticides
Mobile phase variations in thermospray liquid chromatography–mass spectrometry of pesticides 562(1991)507

Phenprocoumon
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31

Phenylalanine
Phenylalanine in whole blood and plasma — a candidate reference method 562(1991)213

Phosphates
Gas chromatographic–mass spectrometric characterization of volatile organic compounds in Barcelona tap water 562(1991)481

Phosphatidylcholines
Characterization of phosphatidylcholines in rabbit lung lavage fluid by positive and negative ion fast-atom bombardment mass spectrometry 562(1991)257

Phospholipids
Application of liquid chromatography–thermospray mass spectrometry in the analysis of glycerophospholipid molecular species 562(1991)191

Polycyclic aromatic hydrocarbons
Gas chromatographic–mass spectrometric analysis of diols and tetrols from reactions of polycyclic aromatic hydrocarbon epoxides with hemoglobin 562(1991)563

Polynuclear aromatic compounds
Gas chromatographic–mass spectrometric analysis of tar compounds formed during pyrolysis of rice husks 562(1991)531

Prostaglandin $F_{2\alpha}$
Analysis of some eicosanoids by continuous-flow fast atom bombardment mass spectrometry 562(1991)59

Prostaglandins
Determination of 6-keto-$PGF_{1\alpha}$, 2,3-dinor-6-keto-$PGF_{1\alpha}$, thromboxane B_2, 2,3-dinor-thromboxane B_2, PGE_2, PGD_2 and $PGF_{2\alpha}$ in human urine by gas chromatography–negative ion chemical ionization mass spectrometry 562(1991)599

Proteins
Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377

Primary sequences of insulin-like growth factors 1 and 2 isolated from porcine plasma 562(1991)391

Quinidine
High-performance liquid chromatographic–mass spectrometric assay of high-value compounds for pharmaceutical use from plant cell tissue culture: *Cinchona* alkaloids 562(1991)713

Recombinant hirudin rHV$_2$-Lys 47
Liquid secondary ion mass spectrometry applied to structural confirmation of enzymically prepared C-terminal-truncated derivatives of recombinant hirudin 562(1991)421

Recombinant human interferon α-2b
Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377

Recombinant proteins
Structural analysis of biologically active peptides and recombinant proteins and their modified counterparts by mass spectrometry 562(1991)377

Ribose-methylated nucleotides
Detection of ribose-methylated nucleotides in enzymatic hydrolysates of RNA by thermospray liquid chromatography–mass spectrometry 562(1991)225

Scopolamine
Analysis of tropane alkaloids with thermospray high-performance liquid chromatography–mass spectrometry 562(1991)737

Steroids
Particle beam liquid chromatography–mass spectrometry on a double-focusing sector instrument 562(1991)13

Studies on anabolic steroids. V. Sequential reduction of methandienone and structurally related steroid A-ring substituents in humans: gas chromatographic–mass spectrometric study of the corresponding urinary metabolites 562(1991)323

Mass spectrometric and high-performance liquid chromatographic studies of medroxyprogesterone acetate metabolites in human plasma 562(1991)351

Steroids, anabolic
Derivatization and gas chromatographic–mass spectrometric detection of anabolic steroid residues isolated from edible muscle tissues 562(1991)673

Sugars
Chloride attachment negative-ion mass spectra of sugars by combined liquid chromatography and atmospheric pressure chemical ionization mass spectrometry 562(1991)81

Tar compounds
Gas chromatographic–mass spectrometric analysis of tar compounds formed during pyrolysis of rice husks 562(1991)531

Tetrols
Gas chromatographic–mass spectrometric analysis of diols and tetrols from reactions of polycyclic aromatic hydrocarbon epoxides with hemoglobin 562(1991)563

Thromboxane B$_2$
Analysis of eicosanoids by continuous-flow fast atom bombardment mass spectrometry 562(1991)59

Characteristic fragmentation of thromboxane B$_2$ in thermospray high-performance liquid chromatography–mass spectrometry 562(1991)153

Thromboxanes
Determination of 6-keto-PGF$_{1\alpha}$, 2,3-dinor-6-keto-PGF$_{1\alpha}$, thromboxane B$_2$, 2,3-dinor-thromboxane B$_2$, PGE$_2$, PGD$_2$ and PGF$_{2\alpha}$ in human urine by gas chromatography–negative ion chemical ionization mass spectrometry 562(1991)599

Toxic substances
Gas chromatographic–mass spectrometric analysis of some potential toxicants amongst volatile compounds emitted during large-scale thermal degradation of poly(acrylonitrile–butadiene–styrene) plastic 562(1991)681

Triallate
Analysis of triallate residues in cereals and soil by gas chromatography with ion-trap detection 562(1991)525

Trichothecenes
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555

Tropane alkaloids
Analysis of tropane alkaloids with thermospray high-performance liquid chromatography–mass spectrometry 562(1991)737

T-2 toxin
Identification of trichothecenes by thermospray, plasmaspray and dynamic fast-atom bombardment liquid chromatography–mass spectrometry 562(1991)555

Tyrosine
Analysis of tyrosine- and methionine-containing neuropeptides by fast atom bombardment mass spectrometry 562(1991)459

Urease
Automated screening of urine samples for carbohydrates, organic and amino acids after treatment with urease 562(1991)125

Val-Ser-Gln-Asn-Tyr-Pro-Ile-Val-Gln
Microbore liquid chromatography coupled to a flow fast atom bombardment probe for the on-line detection of the Tyr-Pro cleavage of a nonapeptide by recombinant HIV-1 protease 562(1991)67

Very-long-chain fatty acids
Determination of very-long-chain fatty acids in plasma by a simplified gas chromatographic–mass spectrometric procedure 562(1991)147

Volatiles
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469

Gas chromatographic–mass spectrometric characterization of volatile organic compounds in Barcelona tap water 562(1991)481

Gas chromatographic–mass spectrometric analysis of urban-related aquatic and airborne volatile organic compounds. Study of the extracts obtained by water closed-loop stripping and air adsorption with charcoal and polyurethane foam 562(1991)493

Gas chromatographic–mass spectrometric analysis of some potential toxicants amongst volatile compounds emitted during large-scale thermal degradation of poly(acrylonitrile–butadiene–styrene) plastic 562(1991)681

Warfarin
Thermospray and particle beam liquid chromatographic–mass spectrometric analysis of coumarin anticoagulants 562(1991)31

Water
Recent methods for the determination of volatile and non-volatile organic compounds in natural and purified drinking water 562(1991)469